Application No.	Applicant(s)	
10/603,975	CLERCQ ET AL.	
	Art Unit	
Sisay Yacob	2612	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>May 19, 2006.</u>		
2. The allowed claim(s) is/are 1-24, 29 and 31.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
6. ☐ Interview Summary (Paper No./Mail Date), 7. ☐ Examiner's Amendm	e ´	
	OR REMAINS) CLOSED in this apport other appropriate communication BHTS. This application is subject to and MPEP 1308. der 35 U.S.C. § 119(a)-(d) or (f). been received. been received in Application No uments have been received in this reference in this application. f this communication to file a reply of this application. ted. Note the attached EXAMINER's reason(s) why the oath or declarate be submitted. on's Patent Drawing Review (PTO-Samendment / Comment or in the Object of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader according to 37 CFR 1.121(d) att of BIOLOGICAL MATERIAL more theader accord	

DETAILED ACTION

1 This communication is in response to applicant's amendment to a final office action, which was filed May 19, 2006.

Arguments to claims 1-24, 29 and 31 have been entered and made of record in the application of Clercq et al., "Remote control with selective key illumination" filed on June 25, 2003.

Claims 1-24 and 31 are as previously presented.

Claim 29 is as previously amended.

Claim 25-28, 30 and 32-40 are as previously cancelled.

Claims 1-24, 29 and 31 are pending.

Allowable Subject Matter

- 3 Claims 1-24, 29 and 31 are allowed as evident by applicant's arguments.
- The following is an examiner's statement of reasons for allowance: The combined prior arts of record disclose or suggest a remote control system comprising a button having an associated means for indicating that the button may be operated to interact with interactive program content, a receiving circuit for accepting a transmission

Application/Control Number: 10/603,975

Art Unit: 2612

received from a source external to the remote control, a controlling circuit linked to the receiving circuit and the means for indicating, where the controlling circuit functions to activate the means for indicating in response to receipt of the transmission by the receiving circuit, and a transmission circuit for transmitting a signal to a target external to the remote control in response to activation of the button.

However, the combined prior arts of record fail to disclose or suggest a remote control system comprising a button having an associated means for indicating that the button may be operated to interact with interactive program content, a receiving circuit for accepting a transmission received from a source external to the remote control, a controlling circuit linked to the receiving circuit and the means for indicating, where the controlling circuit functions to activate the means for indicating in response to receipt of the transmission by the receiving circuit, and a transmission circuit for transmitting a signal to a target external to the remote control in response to activation of the button, wherein the controlling circuit allows transmission of the signal to the target external to the remote control in response to activation only when the means for indicating is activate.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sisay Yacob whose telephone number is (571) 272-

Page 3

Application/Control Number: 10/603,975 Page 4

Art Unit: 2612

8562. The examiner can normally be reached on Monday through Friday 8:00 AM - 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffery A. Hofsass can be reached on (571) 272-2981. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Sisay Yacob

7/31/2006

5- /-

JEFFERY HOFSASS
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600